

**GHS SAFETY DATA SHEET**

---

**1. PRODUCT IDENTIFIER**

NAME: **CPT AQ 515**

Anthraquinone aqueous suspension

SYNONYMS: 9-10 Anthraquinone; 9,10 Dioxoanthracene;  
9,10 Anthracenedione; Anthradione

Molecular formula for Anthraquinone: C<sub>14</sub>H<sub>8</sub>O<sub>2</sub>

CAS No: 84-65-1

EINECS No: 201-549-0

Recommended for industrial use only as:

- An additive in the paper pulping industry,
- A bird repellent coating for seeds, and
- A raw material for the production of dyes and pigments

Industrial uses advised against: None.

MANUFACTURER: CPT Pulp and Paper, LLC  
102 Old Mill Road  
Cartersville, Georgia 30120-1688  
Telephone: 1-770-606-8166

EMERGENCY: CHEMTREC, 800-424-9300 (24 Hours every day)

---

**2. HAZARD IDENTIFICATION**



**WARNING**

MAY CAUSE AN ALLERGIC SKIN REACTION H317

Irritating to eyes, respiratory system and skin

P261: **Avoid breathing dust/mist/spray.**

P272: **Contaminated work clothing should not be allowed out of the workplace.**

P280: **Wear protective gloves/protective clothing/eye protection/face protection.**

P302+352: **IF ON SKIN: Wash with plenty of water.**

**CPT AQ 515**

P333+313: **If skin irritation or a rash occurs: Get medical attention.**

P363: **Wash contaminated clothing before reuse.**

P501: **Dispose of contents/container to in accordance with local and regulations.**

POTENTIAL HEALTH EFFECTS:

**Target Organs:** Liver, kidneys, bladder.

**Eye:** Causes eye irritation.

**Skin:** Causes skin irritation. Skin sensitization has been reported.

**Ingestion:** Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

**Inhalation:** Causes respiratory tract irritation.

**Chronic:** Not Available. Liver, kidney, bladder effects may occur with chronic ingestion of high doses..

**Carcinogenicity:** NTP.....: Not listed.

IARC.....: 2B - listed as a Possible Human Carcinogen referencing a U.S. National Toxicology Program animal study which does not meet current scientific standards (see Section 11).

ACGIH.....: Not listed.

OSHA.....: Not regulated as a carcinogen.

**Medical Conditions Aggravated by Exposure:** None are known.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>CAS #</u>	<u>EXPOSURE LIMITS</u>	<u>% BY WT</u>
Anthraquinone EINECS Number: 201-549-0	84-65-1	OSHA PEL: Not Listed ACGIH TLV-TWA: Not Listed	ca 50
Water	7732-18-5	N/A	ca 50

**Appearance:** tan-colored opaque liquid.

### 4. FIRST AID MEASURES

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**Skin:** Immediately flush skin with plenty of water while removing contaminated clothing and shoes. Wash skin with soap and water. Wash clothing before reuse. Seek medical attention if irritation develops or persists.

**CPT AQ 515**

**Ingestion:** Wash out mouth with water if victim is conscious and alert, give 2-4 cupfuls of milk or water and induce vomiting. Never give anything by mouth to an unconscious person. Get medical aid.

**Inhalation:** Remove from exposure and move to fresh air immediately. If breathing is difficult, get medical aid.

**Notes to Physician:** Treat symptomatically and supportively.

---

---

## 5. FIRE FIGHTING MEASURES

**General Information:** Anthraquinone is an organic compound which will burn after the water has evaporated from CPT AQ 515 aqueous slurry. As in any fire, wear a self-contained breathing apparatus (NIOSH approved or equivalent), and full protective gear. During a fire, irritating and toxic gases may be generated by thermal decomposition and incomplete combustion.

**Extinguishing Media:** Any extinguishing media is suitable - use water, dry chemical, chemical foam, or CO<sub>2</sub>.

**Explosion Limits:**

Lower: Not available.

Upper: Not available.

**Flashpoint:** 185 degrees C

**Autoignition Temperature:** 650 degrees C

**General Hazard:** Will release water vapor with popping when heated rapidly.

**Fire Fighting Instructions:** Limit water runoff if it is likely to contain this material.

**Fire Fighting Equipment:** No special equipment is required.

**Hazardous Combustion Products:** Carbon monoxide and other toxic gases may be generated from incomplete combustion.

---

---

## 6. ACCIDENTAL RELEASE MEASURES

**General:** Use appropriate Personal Protective Equipment (PPE). Contain the spilled material and clean up spills immediately.

**Small Spill:** Carefully shovel up or sweep up spilled material and place in suitable container for disposal.

**Large Spill:** Try to prevent material from entering storm sewers or ditches leading to natural waterways. Dispose of large amounts in an approved landfill.

---

---

## 7. HANDLING AND STORAGE

**Storage Temperature:** Ambient. Avoid temperature extremes.

**Storage Pressure:** Ambient.

**CPT AQ 515**

**General:** Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Keep container closed when not in use. Use with adequate ventilation.

---

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below permissible nuisance dust / mist exposure limits.

**Respiratory Protection:** Use a NIOSH-approved dust mask if excessive dust / mist is present.

**Skin Protection:** Cover exposed skin areas and wear general-purpose gloves.

**Eye Protection:** Wear safety glasses. Use chemical goggles if excessive dust / mist is present.

---

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid - aqueous suspension of Anthraquinone particles

**Vapor Pressure:** same as water.

**Specific Gravity:** about 1.18

**Solubility in Water:** N/A

**pH:** approximately 8.

**Boiling Point:** 100 °C to dryness, then 377 °C for dry Anthraquinone

**Freezing/Melting Point:** about 0 °C for this aqueous suspension; about 286 °C for the dry Anthraquinone after all water has evaporated.

**Vapor Density:** water vapor

**Evaporation Rate:** N/A - water evaporates from this aqueous suspension to dryness.

**Odor:** None or slight surfactant odor..

**Appearance:** Light tan-colored liquid.

---

---

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal temperatures and pressures. Keep away from intense heat. Product loses water through evaporation/boiling and may "pop" and "spit" when heated rapidly.

**Incompatibility:** Strong oxidizing agents.

**Hazardous Polymerization:** Does not occur.

**CPT AQ 515**

**Hazardous Decomposition Products: Carbon monoxide, irritating and toxic fumes and gases from incomplete combustion, carbon dioxide.**

---

## 11. TOXICOLOGICAL INFORMATION

RTECS NUMBER: CB4725000

Inhalation, rat: LC50 = >1300 mg anthraquinone/m<sup>3</sup>/4 hours (>2600 mg/m<sup>3</sup>/4 hours for this product).

Oral, mouse: LD50 = >5 gm anthraquinone/kg (>10 gm/kg for this product).  
LDLo = 15 gm/kg (rat)

Skin, rat: LD50 = >1 gm anthraquinone/kg (>2 gm/kg for this product).

**Neurotoxicity:** No information found

**Teratogenic:** 150 mg Anthraquinone/kg/day had no effect on parturition data, litter size, or pup survival to LD 4 (OECD Guideline 421, Reproduction/Developmental Toxicity Screening Test)

**Reproductive:** Mating, fertility, and fecundity indices for both treated males and females were unaffected by treatment with 2400 mg Anthraquinone/kg/day for 14 days (OECD Guideline 421, Reproduction/Developmental Toxicity Screening Test).

**Mutagenicity:** Anthraquinone is not mutagenic in Salmonella typhimurium strains TA 100, TA 102, TA 1537, or TA 98, with or without exogenous metabolic activation.

**Carcinogenicity:** There is no credible scientific evidence that Anthraquinone is carcinogenic. Anthraquinone is not mutagenic, but the material tested by the National Toxicology Program (NTP) contained mutagenic contamination. Incorrect information added to NTP Technical Report 494 during its third peer review resulted in approval for the report's conclusion that clear evidence was found that Anthraquinone caused cancers in rats and mice. An earlier National Cancer Institute study in mice did not find any evidence that Anthraquinone caused cancers.

NTP unknowingly tested an anthraquinone sample contaminated with a strong mutagen in the mid-1990s. The presence of this strong mutagen was not recognized until years after animal testing had been completed. The NTP test article was manufactured by nitric acid oxidation of anthracene which resulted in contamination with 9-nitroanthracene; this manufacturing process is no longer practiced anywhere in the world.

Contamination by the potent mutagen, 9-nitroanthracene, confounded interpretation of NTP's test results, however this was obscured by NTP's presentation of a negative mutagenicity assay for a sample of unknown origin which NTP presented as a retained sample of the Anthraquinone it fed to rats and mice.

Toxicologists reviewing the NTP report have stated, "The data for anthraquinone are considered suspect because other carcinogenicity studies were negative...Certainly, it can be said that the material used by the NTP was mutagenic...." [Boobis et al.; Toxicologic Pathology; Vol. 37, No. 6; page 719; 2009]. Professor Alan R. Boobis is a Fellow of the British Toxicology Society.

CPT AQ 515 has never been contaminated with 9-nitroanthracene.

**CPT AQ 515**

---

---

**12. ECOLOGICAL INFORMATION**

TOXICITY: No information found.

DISTRIBUTION: Substituted Anthraquinones are produced by many plant species. Anthraquinone, itself, is produced by some fungi.

---

---

**13. WASTE MANAGEMENT INFORMATION - DISPOSAL**

Do not dump into sewers, on the ground, or into any body of water. If discarded, this product would not be a hazardous waste under US EPA guidelines in 40 CFR Parts 261.3. Chemical waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Disposal must be in compliance with local, state, and federal laws and regulations.

---

---

**14. TRANSPORT INFORMATION**

U.S. Department of Transportation Hazard Class: None.

U.N./N.A. Number: None.

Product Label.....: **CPT AQ 515**

Air transport ICAO-TI and IATA-DGR:  
(ICAO: International Civil Aviation Organization)  
ICAO/IATA Class: None

Maritime transport IMDG/GGVSea:  
(IMDG: International Maritime Code for Dangerous Goods)  
IMDG/GGVSea Class: None

---

---

**15. REGULATORY INFORMATION**

TSCA: listed on the TSCA inventory.

TSCA Significant New Use Rule  
None of the chemicals in this material are subject to a SNUR.

CERCLA Hazardous Substances and corresponding RQs  
None of the chemicals in this material have an RQ.

**SARA Title III:**

Section 302, Extremely Hazardous Substances: None.

Section 311/312, Hazard Categories

Immediate (Acute) Health Hazard - Yes

Delayed (Chronic) Health Hazard - Yes

Fire Hazard - No

Reactive Hazard - No

Sudden Release of Pressure Hazard - No

Section 313: No chemicals in this product are reportable.

**CPT AQ 515**

## Clean Air Act:

This product does not contain any hazardous air pollutants.

This product does not contain any Class 1 Ozone depleters.

This product does not contain any Class 2 Ozone depleters.

## Clean Water Act:

No chemicals in this product are listed as Hazardous Substances

None of the chemicals in this product are listed as Priority Pollutants

None of the chemicals in this product are listed as Toxic Pollutants

None of the chemicals in this product are considered highly hazardous by OSHA.

---

---

**16. OTHER INFORMATION****NFPA Rating (National Fire Protection Association):**

**Health - 2** (Materials which on intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.)

**Fire - 0** (Materials that are nonflammable).

**Reactivity - 0** (Materials which in themselves are normally stable even under fire exposure conditions, and which are not reactive with water).

**Special - NA**

**Reason for Issue.....:** 29 CFR 1910.1200(g) compliance.

**Prepared by..... :** Jerry A. Cook

**Title..... :** Technical Director.

**Approval Date..... :** January 2021

**Supersedes Date.....:** February 2015

**MSDS Number.....:** 82.

---

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgment of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of CPT Pulp and Paper, LLC. The data on this sheet relates only to the specific material designated herein. CPT Pulp and Paper, LLC assumes no legal responsibility for use or reliance upon these data.